Project: MIND Minalogic

INSTALLATION GUIDE MindEd

Updatable documentation

Written by

RPU

Date : 01/12/2009

Date :

Revue by

DIFFUSIO	N		
Mind Use	ers		
Version	Date	Writer	Commentaries
UPDATES	of document, c	derived from standard	
V0.1	01/12/2009	RPU	Base version for MindEd 0.1
V0.2	02/04/2010	OMA	Update of plug-in versions and updates sites.
V0.3	06/04/2010	RPU	English translation, update installation for MindEd 0.2.
V0.4	22/07/2011	PCH	Update for MindEd 0.2.1





SOMMAIRE

1. 0	VERVIEW:	
1.1. 1.2.	MINDED OVERVIEW DOCUMENT GOALS	4
2. VA	ALIDATED CONFIGURATIONS:	5
2.1.	CONFIGURATION 1:	5
3. EC	CLIPSE ENVIRONMENT	6
3.1. 3.2.	Eclipse 3.6 (Helios) Third party plug-ins update sites	6 6
4. IN	NSTALLATING MINDED	9
5. IN	NSTALLING AN ARCHIVED MINDED RELEASE	





1. OVERVIEW:

1.1. MindEd overview

MindEd is an Eclipse plug-in developed in a Minalogic project. MindEd has been developed in order to help fractal developers by providing a development plateform based on Mind language to:

- Includes all needed editors (ADL, ITF, and CPL) providing advanced features helping developers with easy working (Completion, outlines, validation, quick fixes...)
- Increases developments quality => languages validation (ADL, ITF, CPL, embedded toolChain compilation returns)
- Increases developments time and quality => Graphical architecture overview of ADL, Easy navigation between different files
- Easy use of ADL developments with graphical editor => Easier for fractal beginners or hard architecture manipulations like component bindings.

1.2. Document goals

This document describes full installation process for MindEd plug-in users. It explains how to install step by step and from a clean machine with installed operating system the MindEd plug-in. Please, follow each installation step cautiously in order to prevent plug-in issues due to architecture complexity of used eclipse plug-ins (high complexity dependencies tree).

Note for users who already have an Eclipse version installed: It is highly recommended to reinstall an Eclipse version - from scratch.



2. VALIDATED CONFIGURATIONS:

2.1. Configuration 1:

- Windows XP SP2
- Processor : Dual-Core 2Ghz
- RAM : 2GB
- HD : 80 GB



3. ECLIPSE ENVIRONMENT

3.1. Eclipse 3.6 (Helios)

MindEd is based on Eclipse 3.6 Helios. MindEd is NOT compatible with previous releases of Eclipse (neither Eclipse 3.5 Galileo nor Eclipse 3.4 Ganymede). To avoid problems with incompatible versions we recommend you to install Eclipse from scratch by downloading it from http://www.eclipse.org/downloads/.

IMPORTANT NOTE: Eclipse 3.6 (Helios) became the official Eclipse release in June 2010.

You have to select an Eclipse package to download. Each Eclipse package contains a number of preinstalled plug-ins (see bellow for a summary of included features). You can select the Eclipse package appropriate for your programming needs. Instructions in this installation guide should work for all packages (there are only minor differences that will be identified in the appropriate sections). This guide has been validated with the Eclipse Classic, Eclipse IDE for C/C++ developers and Eclipse Modeling Tools packages, on the configurations described in section 2.

	đ	JEE	C		Ø	JEE BIRT	Php	P	
RCP/Platform	Java	Java EE	C/C++	RCP/Plugin	Modeling	Reporting	РНР	Pulsar	Classic
CVS	1	1	1	1	1	1	1	1	1
EMF	~	1		1	1	1			
GEF	1	1		1	1	1			
JDT	1	1		1	1	1		1	1
Mytyn	1	1	1	1	1	1	1	~	2
UDC	1	1	1	~	1	1	1	~	
Web Tools		~				1	1		
Java EE Tools		~				1			
XML Tools	\checkmark	1		1		\checkmark	1	\checkmark	
RSE		~				1			
EclipseLink		~				~			
PDE		~		1	1	1			1
Datatools		1				\checkmark			
CDT			~						
BIRT						\checkmark			
ECF				1					
GMF					1				
PDT							~		
MDT					1				
MTJ								\checkmark	

Eclipse Packages, Feature list

3.2. Third party plug-ins update sites

MindEd relies on a number of third-party plug-ins. These may have already been pre-installed with your Eclipse (depending on the package that you selected, see previous section) or they will be automatically downloaded and installed when you install MindEd (see section 4).

Required plug-ins will be downloaded from a list of update sites configured in your Eclipse. This section will guide you through the steps needed to configure your Eclipse with the correct update site list needed to install the good versions of all MindEd required third-party dependencies.



1. Go to the "Window/Preferences" menu



2. Select the "Install/Update", "Available Software Sites" page

General Ank Help Installupdate Journals: Updets: Aviauromatic Updets: Ava Aviauromatic Updets: Avaiable Software Sites Jova Pug-n Development Pug-n Development Team Team			vailable Software Sites	vpe filter text
Automatic Updates Automatic Up		E contractorial	type filter text	E General E Ant E Help
	n Enabled Add ownload.eclipse.org/releases/helios Enabled Ed. ewnload.eclipse.org/eclipse/updates/3.6 Enabled Ed. Remove Reload Enable Import	http://download.eclips	vene e	Automatic Updates Available Software Sites 9 Java 9 Plug-in Development 8 Run/Debug 9 Team

Note: The list of available sites may change depending on the Eclipse package that you installed. This screenshot was taken on the Eclipse Classic 3.6 Package.

3. Be sure that the following sites are listed and enabled

Helios	http://download.eclipse.org/releases/helios
Eclipse Project Updates	http://download.eclipse.org/eclipse/updates/3.6

Notice that we have privileged official Eclipse update sites, so as to simplify the installation procedure.



4. MindEd depends on some optional plug-ins from the C/C++ Development toolkit (CDT) that have not yet been migrated to Eclipse 3.6. To be able to download the correct versions, you need to manually add the following update site

CDT-Galileo	http://download.eclipse.org/tools/cdt/releases/galileo

Click on the "Add..." button and fill the appropriate fields, as shown bellow:

pe filter text	Available Software Sites			⇔ •⇒••
General Ant Help Install/Update Automatic Updates Available Software Sites Java Plug-in Development	type filter text Name ▲ ♥ ∯ Helios ♥ ∯ The Eclipse Project Updates	Location http://download.eclipse.org/releases/helios http://download.eclipse.org/eclipse/updates/3.6	Enabled Enabled Enabled	Add Edit Remove
ream	Name: CDT-Galileo	eclipse.org/tools/cdt/releases/galile Archive		Rejoad Egable Import
)			ОК	Cancel

5. Select and install 'CDT Utilities5.1.0'

Name	Version
🕀 🗖 💷 CDT Main Features	
🖃 📝 💷 CDT Optional Features	
🔲 ጭ CDT Debugger Services Framework (DSF) Examples	2.0.0.201002161416
🗖 🏇 CDT GCC Cross Compiler Support	1.0.0.201002161416
🗖 🌆 CDT GNU Toolchain Build Support	6.0.0.201002161416
🗖 🌆 CDT GNU Toolchain Debug Support	6.0.0.201002161416
CDT Utilities	5.1.0.201002161416
🗖 🌆 Eclipse C/C++ Development Platform	6.0.2.201002161416
🗖 🌆 Eclipse C/C++ DSF gdb Debugger Integration	2.0.0.201002161416
🔲 ጭ Eclipse C/C++ GDB Hardware Debugging	5.1.0.201002161416
Eclipse C/C++ Memory View Enhancements	1.2.0.201002161416
🗖 ጭ Eclipse C/C++ Remote Launch	6.0.0.201002161416
🗖 🏇 Eclipse CDT p2 Toolchain Installer	1.0.0.201002161416
🗖 🏇 Eclipse CDT Testing Feature	6.0.0.201002161416
🗖 🌆 LR Parser	5.1.0.201002161416
🗖 🏇 LR Parser SDK Feature	5.1.0.201002161416
🗖 🏇 Mylyn Bridge: C/C++ Development	5.1.0.201002161416
🗖 ጭ Unified Parallel C Support	5.1.0.201002161416
🗖 🏇 Unified Parallel C Support SDK Feature	5.1.0.201002161416
🗖 🖗 XL C/C++ Compiler Support	6.0.0.201002161416
🗖 🏇 XL C/C++ Compiler Support SDK	6.0.0.201002161416



4. INSTALLATING MindEd

Like all the standard Eclipse plug-ins, MindEd is downloaded and installed from an update site This section will guide you through the steps needed to configure the MindEd update site and launch the installation.

1. Go to the "Install/Update", "Available Software Sites" preference page (as described in the previous section) and add the following update site

MindEd <u>http://mind.ow2.org/mindEd-site/</u>
--

Your update site configuration should look like this:

Preferences				
type filter text	Available Software Sites			$\varphi \circ \varphi \circ \bullet$
type filter text ⊕ General ⊕ Help ⊕ Install/Update ■ Available Software Sites ⊕ Java ⊕ Plug-in Development ⊕ Run/Debug ⊕ Team	Available Software Sites	Location http://download.edipse.org/tools/cdt/releases/galleo http://download.edipse.org/releases/fielios http://download.edipse.org/eclipse/updates/3.6	Enabled Enabled Enabled Enabled Enabled	Add Edi: Reioad Egable Import Export
1			Ск	Cancel

2. Go to the "Help/Install New Software..." menu





3. In the install dialog, choose the MindEd update site from the "work with" list, and select all the MindEd components to install

😂 Install			
Available	Software		
Check the it	ems that you wish to install.		
Work with:	MindEd - http://minalogic.net/svnroot/MIND/SP3	3/tags/v0.2 06042010	Add
_	1	Find more software by working with the <u>"Available s</u>	Software Sites" preferences.
type filter te>	xt]
Name		Version	
🔽 🖗 Min	ndEd IDE	0.2.0.201004071405	
🗹 🖗 Min	ndEd IDE SDK	0.2.0.201004071405	
Details			
Dectails			
Show only	the latest versions of available software	🔲 Hide items that are already installed	
📃 Group item	ns by category	What is <u>already installed</u> ?	
🔽 Contact al	update sites during install to find required softwar	re	
?		< <u>B</u> ack <u>N</u> ext >	Enish Cancel

Note: If the list of MindEd components is not displayed, uncheck the "Group items by category" option as highlighted in the figure above.

4. Eclipse will calculate all the required plug-ins that need to be downloaded and installed, and show you a detailed list in the next page.

sion),20100407),20100315),20100315),20100315),2010031),2010031),v2010031),v2010031),v2010031),v2010031),v2010031),v2010020),v2010020),v2010020),v2010020),v2010020),v2010020	Id org.ow2.fractal.mind.feature.fracture org.ectipes.cdt.gru.build.feature.grou.p org.ectipes.cdt.ulf.feature.group org.ectipes.cdt.feature.group org.ectipes.emf.feature.group org.ectipes.emf.feature.group org.ectipes.emf.edit.feature.group org.ectipes.emf.redit.re.group org.ectipes.emf.validation.feature.group org.ectipes.emf.validation.feature.group org.ectipes.emf.validation.cd.feature.group org.ectipes.emf.validation.cd.feature.group org.ectipes.emf.validation.cd.feature.group	
0.20100407 0.20100315 0.20100315 0.20100315 0.20100315 0.2010031 0 0.2010031 0.201	org.ov.2.f.acta mind feature feature org.edipse.cdt.gm.buld.feature.group org.edipse.cdt.bulf.feature.group org.edipse.cdt.bulf.feature.group org.edipse.cdt.feature.group org.edipse.emf.feature.group org.edipse.emf.edit.eut.eg.group org.edipse.emf.edit.feature.group org.edipse.emf.edit.feature.group org.edipse.emf.valdation.feature.group org.edipse.emf.valdation.feature.group org.edipse.edit.valdation.edif.feature.group org.edipse.edit.valdation.edif.feature.group org.edipse.edit.valdation.group	
0.v2010022 0.v2010031 0.v2010031 0.v2010031 0.v2010031 0.v2010031	org.edpse.gmf.feature.group org.edpse.emf.mwe.core.feature.gr org.edpse.col.feature.group org.edpse.xtend.feature.group org.edpse.xtend.typesystem.emf.f org.edpse.xtext.untme.feature.gr org.edpse.xtext.u.feature.group	
	√2010031 √2009122 √2010031 √2010031 √2010031 √2010031 √20100407	V2010031 org.ectpse.enf.nwe.core.feature.gr., V2009122 org.ectpse.coft.enture.group V2010031 org.ectpse.xtend.feature.group V2010031 org.ectpse.xtend.typesystem.emf.fi V2010031 org.ectpse.xtext.ut.feature.group V2010031 org.ectpse.xtext.ut.feature.group V2010031 org.ectpse.xtext.ut.feature.group V2010031 org.ectpse.xtext.ut.feature.group V2010031 org.ectpse.xtext.ut.feature.group V2010031 org.ectpse.xtext.ut.feature.group

Note: Under each MindEd component you can see the list of third-party required plug-ins that will be installed. The list varies depending on the Eclipse package that you installed. This screenshot was taken on the Eclipse Classic 3.6 Package



5. In the next page you will be asked to accept the licenses for all the plug-ins that will be installed. MindEd components are distributed under the GNU Lesser General Public License. All other required third-party components are distributed under the Eclipse Foundation Software User Agreement.

🖨 Install				
Review Licenses Licenses must be reviewed before the software can be installed. This incl	udes licenses for software required to complete the install.			
Licenses:	License <u>t</u> ext:			
ECLIPSE FOUNDATION SOFTWARE USER AGREEMENT ECLIPSE GENERAL PUBLIC LICENSE MindEd IDE SOLO.2.0.201004071405 MindEd IDE SOLOR 0.2.0.201004071405	GNU LESSER GENERAL PUBLIC LICENSE Version 3, 29 June 2007 Copyright (C) 2007 Free Software Foundation, Inc. <http: fsf.org=""></http:> Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.			
	 I accept the terms of the license agreements ○ I do not accept the terms of the license agreements 			
0	< Back Next > Einish Cancel			

6. During installation you will be warned that the MindEd software is not signed and can not be authenticated. Trust us, and continue the installation.

Security Warning		
🔥 Warning: You are in	stalling software that contains un	signed content. The
Warning: You are in authenticity or valid want to continue wi	stalling software that contains un ty of this software cannot be est th the installation?	signed content. The ablished. Do you

7. You are at the end of the installation. You will be prompted to restart your Eclipse so that changes take effect. Congratulations, you are now ready to develop your Mind projects





5. INSTALLING AN ARCHIVED MindEd RELEASE

The recommended procedure to install MindEd is to use the update site, as describe in the previous section. This guarantees that you install the latest published version, and greatly simplifies the update of your MindEd environment.

If for any reason you need to install a particular version of MindEd, all the released versions are archived in OW2 and available for download at <u>https://forge.ow2.org/project/showfiles.php?group_id=375</u>. To install one of them follow the instructions in this section.

- 1. Download the archived version to your local machine.
- 2. Go to the "Install/Update", "Available Software Sites" preference page (as described in section 3) and add a new update site. Use the "Archive" button and browse for the downloaded zip file.

e Greed e Art e Cr-+ e Cr-+ e Cr-+ e Cr-+ e Art e Cr-+ e Cr-+ e Artonics Update e Anonics Update anonics Update e Anonics Update e Anonics	bye fibr tool: Name ▲ V ≪ Lord Calloo V ≪ Hwald V ≪ Hwald V ≪ Hwald W V ≪ Hwald W W ≪ Hwald W W ← House W W ← House V ≪ Hwald W W ← House V ≪ House V	roject Updates Site MindEd Local Arc	Location http://downloa http://downloa http://downloa http://downloa http://downloa http://downloa	ed eclose org/to de eclose org/eclose entitiverscotting de eclose org/extraopt de eclose org/extraopt de eclose org/extraopt cotting c	ols/cdt/releases deases/helios MD/SP 91/aga/ jope.fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3 //dds/vrg.ec/fu/dates/3	/galieo v0.2_06 .6 ex.tm.tcf/ 0_1/st 0_3/ pdste es/ es/ cs/ cs/ cs/ cs/ cs/ cs/ cs/ c	Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	*	Add Edt Remove Reload Disable Import Export
Ant CC+ CC+ Brack Hop	type filter text: Name ▲ V < CTO-Call V	roject Updates Site MindEd Local Arc	Location http://downloa http://msilogi http://msilogi http://downloa http://downloa	d eclpse org/to d eclpse org/te cnet/wmcoth d eclpse org/wmcoth d eclpse org/wmcoth se org/wmcoth cse org/wmcot	ools/cdt/releases deases/helos MDO/SP3/tagy/ MDO/SP3/tagy/ Votodp/org.ec/patro Lgcal grdhve Cancel	/galleo v0.2_06 .6 cs.cm.tcf/ 0 0.1/st 0 3/ pdste rcs/rede pdste rcs/rede pdste	Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	*	Add Edt Remove Reload Disable Import Export
 CC++ Fracta Fracta Fracta Homoto Updates Azomoto Updates Marka Schlarer Steet Marka Schlarer Sch	Cyperine deck Name A V CTO-Galleo V CTO-G	Yoject Updates Site MindEd-Local Arc	Location http://downloamina.	d edipse org/to d edipse org/te entrisymooth d edipse org/edipse se org/symooth d edipse org/edipse edipse org/symooth d edipse org/sym	ols/cdt/releases, deases/Holo MD/SP 3/tage/ pipes/publicly/ clocks/vmg.edp/ 	/galleo VO.2_06 16 set.m.ttcf/ 0.1/st 0.1/st 0.1/st 9/ pdate vet/ede pdate vet/ede pdate	Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Add Edt Remove Rebad Disable Disable Disable Disable Disable Disable Disable Disable Cancel
# Practal # Practal # Practal # Pracher Prach	Name * V CDT-salko V CDT-salk	roject Updates Site MinaEd Local Arc t specify a location	Location http://downloa http://downloa http://downloa http://downloa http://downloa http://downloa	d edpse.org/to d edpse.org/to entet/smreoth d edpse.org/smreoth edpse.org/smreoth se.org/smreot	obi/oti/veleaes desco/who dipse/polars/ dips	/galleo .66 .67 .67 .67 .67 .77 .77 .77	Enabled Enabled Enabled Dasbled Dasbled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Add Edt Remove Reload Disible Import Export
High PrintMyColor: Pr	V GLOT-Galko V Glydos V Glydos	Troject Updates Site MindEd-Local Arc specify a location	http://downloa http://downloa http://missloge http://downloa http://downloa http://downloa	d expee org/to d expee org/to rete/wincoth expee org/overcoth see org/overcoth cothere org/overcothere org/overcothere cothere org/overcothere org/overcothere cothere org/overcothere org/overcothere org/overcothere cothere org/overcothere org/overcothere org/overcothere cothere org/overcothere org/overc	object/releases, deses/helos MDD/93/tags/ dipse/updates/3 dips	V0.2_06 .6 .6 .6 .6 .6 .6 .6 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	×	Edit Remove Reload Import Export
Prof.Mycdobi Myclast Social Social Myclast Social Social Myclast Coastion Myclast Coastion Mycla	v dihedos v dihedos v dihedos di di di di di di di di di di di di di	roject Updates Site MindEd-Local Arc	http://downlos http://downlos http://downlos http://downlos http://downlos	d expee orgite entriverse of the externe orgite se orgiterroot	éexes/helos MD/SP 91/200 dipos/publicker/3 Udodp/org.ectipr 2 Udodp/or	V0.2_06 16 se: tm tcf/ 0.1/st 0 3/ pdate es//de pdate pdate	Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Edt Remove Reload Disable Import Export
Analasia Cautana Bara Mand Logram Mind Log	Addi Addi Addi Addi Addi Addi Addi Addi	roject Updates Site MindEd-Local Arc	http://devielas http://devielas http://devielas	CREASE CONTRACT	Indu/es/s/dagby/ lope/c.pdates/3 t/dodp/org.edps Lgcal Archive	 66 5e tm.ttcf/ 0.1/st 0 3/ 3/ 9/ste est/ede pdste vartes/ 	Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Remove Reload Disable Import Export
Bina Chargen Bina Chargen Mind: Cha	Add	Site MindEd-Local Arc	http://dev.edp	CK CK	Local Cancel Cool types edge Local Cancel Cool types motop	2 etm.ttf/ 0.1/st 0 3/ pdate et/ et/ et/ et/ et/ et/	Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	×	Reload Disable Import Export
Mind Loadon Mind Loadon Mind Loadon Mind Waldson Mind Waldson Mind Waldson Mind Waldson With Market Mind Loadon Mind	Add burner	MindEd-Local Arc	hive Tropsycore loss	OK CK P	Lgcal Archive Cancel	0.1/st 0 3/ odste odste pdste odste	Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Reload Disable Import Export
Minds Location e PLy of Development e PLy of Development e PLy of Development e The D	4 4 6 5 4 6 5 4 6 6 7 4 6 6 7 4 6 6 7 4 6 6 7 4 6 6 7 4 7 4	MindEd-Local Arc	hive	OK OK	Lgcal Archive Cancel	0.1/st 0 3/ pdate es/refe pdate pdate xrates/	Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Disable Import Export Cancel
Model Waddson When Waddson Playa Dewidepmark Playa Dewidepmark Playa Dewidepmark Playa Dewidepmark Notorig Playa Dewidepmark Playa Dewidpmark Playa Dewidepmark Playa Dewidepm	A Barne: Location: A Barne: Location: A Barne: A Ba	MindEd-Local Arc	перлуосинной	OK .	Lgcal Archive Cancel	0.1/st 0 3/ pdate es/rele pdate pdate pdate	Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	×	Import Export
PLy AD Development PLy AD Development Form Term	Game: Game:	Ninded-Local Arc	пор дося поя	OK Crecipseorgan	Cancel	o 3/ pdate es/rele pdate pdate	Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled		Import Export
RunDebug Fram * Team * Xterd/spand * Xterd/spand * Xterd /*		t specify a location	тер., усочи нов	OK Krecipserorgim 19	Cancel	3/ pdate es/ es/rele pdate vatus/	Disabled Disabled Disabled Disabled Disabled Disabled Disabled	×)	Export
e Team e Team e Team e Team e Team e Team e Team e Team e Team e Team	4 6 Must 4 7 4 7 4 7 4 7	specify a location	тифиу усклютика	OK Arecipee or grin	Cancel	odate es/ es/rele pdate rusties/	Disabled Disabled Disabled Disabled Disabled Disabled	×)	Export
A Control (A) (A) (A) A Control (A) (A) (A) A Control (A)			парлуосинаа	OK Crecipserorgim	Cancel	es/rele pdate pdate zoates/	Lisabled Disabled Disabled Disabled	ж	Cancel
• • • • • • • • • • • • • • • • • • •			ntep://cowincer	OK Geograe Gym 19	Cancel) es/rele polate coates/	Disabled Disabled Disabled	*	Cancel
€> @ forecore	∏ 4] L [∞]		nep://oownea	creapseror gran	roden grenndop	pdate	Disabled Disabled	*	Cancel
۲. ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲	() 4		ndp.//downloa		ioden grenn dop	rod tes/	Disabled	*	Cancel
< >>	¢						, (ж.	Cancel
toropcor									
319191199999									
Ava	ailable Softw	vare Sites							
t a									
C++	type filter text								
ctal	Name 🔺		Location					^	Add
p Ty	CDT-Galleo		http://dow	wnload.edinse	e.ora/tools/cd	it/releases/ca	illeo		
tal/Update 🔽	Helics		http://dov	whiload.eclipse	e.org/releases,	/helios			Edit
Automatic Updates 🛛 🔽	MindEd		http://min	halogic.net/sv	mroot/MIND/S	SP3/tags/v0.	2_06		
Available Software Si	MindEd-Loca	al Archive	jar:file:/C:,	/bemp/mind-	0.1-IDE-bin.zp	p!/			Remove
a 🔽	The Edipse F	Project Updates	http://dow	wnload.eclipse	e.org/eclipse/L	updates/3.6			
id Diagram			http://dev	v.eclipse.org/s	svnroot/dsdp,	/org.eclipse.t	m.tcf/		Reload
idc Location			http://dow	wnload.eclipse	e.org/birt/upd	late-site/2.5			C. C
del Validation	9		http://dov	wnload.eclipse	e.org/birt/upd	late-site/2.6			Lisable
a-in Development	1		http://dov	writoad.eclipse	e.org/datatool	is/updates			Import
n/Debug	1		nttp://dow	wnioad.eclipse	e.org/dsdp/ml	tj/updates/1	.U. 1/St	~	Turbort"
200	1		nttp://dow	wr ioad.ecilbse	e.ora/asab/tm	1/updates/3.	V		Evport
and/Voand									- apole
								_	

3. Follow the same procedure as described in section 4, but this time be sure to select the locally archived MindEd.

🖨 Install		
Available Software Check the items that you wish to install.		
Work with: MindEd-Local Archive - jar:file:/C:/temp/mind-0.1-ID Find more	E-bin.zp!/ re software by working with the <u>"Available Softwar</u>	Add
type filter text		
Name	Version	
🗌 🖗 Mind IDE	0.1.0	
🗌 🖗 Mind IDE SDK	0.1.0	
Details		
Show only the latest versions of available software	Hde items that are already installed	
Group items by category	What is <u>already installed</u> ?	
Contact all update sites during install to find required software		
0	< Back Next > Enish	Cancel